

A Report on the “Assessment of Blood Banks in Uttarakhand, India”

National AIDS Control Organization (NACO) and
National Blood Transfusion Council (NBTC),
Ministry of Health and Family Welfare, Government of India
in collaboration with
U.S Centers for Disease Control and Prevention (HHS/CDC)
Division of Global HIV and TB (DGHT), India
Christian Medical College, Vellore
&
Christian Medical Association of India (CMAI), New Delhi

Abbreviations

BB	- Blood Bank
BCSU	- Blood Component Separation Units
BTS	- Blood Transfusion Service
CDSCO	- Central Drug Standard Control Organisation
CHEMI	- Chemiluminescence
DAT	- Direct Antiglobulin Test
DCT	- Direct Coombs Test
ELISA	- Enzyme Linked Immuno Sorbent Assay
EQAS	- External Quality Assessment Scheme
FFP	- Fresh Frozen Plasma
HIV	- Human Immunodeficiency Virus
HBV	- Hepatitis B virus
HCV	- Hepatitis C virus
HVPI	- Haemovigilance Program of India
IAT	- Indirect Antiglobulin Test
ICT	- Indirect Coombs Test
IH	- Immunohematology
IQC	- Internal Quality Control
IQR	- Interquartile Range
MoHFW	- Ministry of Health and Family Welfare
NACO	- National AIDS Control Organisation
NAT	- Nucleic Acid Testing
NBTC	- National Blood Transfusion Council
NGO	- Non Governmental Organisation
NHP	- National Health Portal
PSU	- Public Sector Undertaking
QC	- Quality Control
QM	- Quality Manager
QMS	- Quality Management Systems
RPR	- Rapid Plasma Reagin
SACS	- State AIDS Control Societies
SBTC	- State Blood Transfusion Council
SD	- Standard Deviation
SIMS	- Strategic Information Management System
SOPs	- Standard Operating Procedures
TTI	- Transfusion Transmitted Infection
TM	- Technical Manager
TPHA	- Treponema Pallidum Hemagglutination Assay
VNRBD	- Voluntary, Non-Remunerated Blood Donation
VBD	- Voluntary Blood Donor/Donation
WHO	- World Health Organization

Table of Contents

Executive Summary	ix
1. Background.....	1
2. Objectives	4
3. Methodology.....	4
4. Key Findings.....	7
4.1 Basic details of blood banks (n=24).....	8
4.1.1 Category of Blood Banks	8
4.1.2 Ownership	9
4.1.3 Organizational Attachment	9
4.1.4 License details of blood banks	9
4.2 Annual Blood Collection and Voluntary Blood Donation.....	11
4.2.1 Annual Collection of Blood	11
4.2.2 Voluntary blood donation	14
4.3 Transfusion Transmitted Infections(TTIs)	17
4.3.1 Transfusion Transmitted Infections by Category of blood banks.....	17
4.4 Component Separation	21
4.5 Quality Management Systems.....	23
4.6 Reporting and Documentation	25
4.6.1. Compliance to NBTC guidelines.....	25
4.7. Human Resources.....	25
4.7.1. Availability of staff	25
4.8. Training of Blood Bank Personnel.....	26
4.9. Equipment and Supplies.....	27
4.9.1. Regular supply kits/supplies	27
4.9.2. Equipment Availability (working condition).....	28
4.10. The current status of blood banks based on the assessment	29
4.10.1 Assessment score by Category of blood banks	32
4.10.2 Assessment score by Ownership.....	32
4.10.3 Assessment score of Private Sector Blood Banks.....	33
4.10.4 Assessment score by Annual Collection.....	34
4.10.5 Assessment score by Voluntary Blood Donation	34
4.10.6 Assessment score by participation in External Quality Assessment Scheme....	34
4.10.7 Assessment score by Accreditation status	35
5 Conclusion	37
6 Reference	39
7 Annexures.....	40
7.1 Individual Blood Banks' Summary.....	40
7.2 NACO/NBTC – Questionnaire for Blood Banks	41
7.3 Scoring sheet	53

Tables and Figures

Tables

Table -1 - Details of technical areas included in the assessment	5
Table 2 - Scoring details and weight.....	6
Table 3 - District Wise Descriptions of Blood Banks.....	7
Table 4 - Basic details of blood banks	8
Table 5 - District wise list of blood banks by Ownership.....	9
Table 6 - Average Annual collection	12
Table 7 - Annual blood collection and percentage of VBD.....	13
Table 8 - Transfusion Transmitted Infections (%).....	17
Table 9 - Transfusion Transmitted Infections by category of blood banks	18
Table 10 - Total Annual Collection by BCSUs and Percentage of Component Separation....	21
Table 11 - Availability of Quality Parameters in Blood Banks	23
Table 12 - BBs having Equipment in working condition	28
Table 13 - Mean Assessment score.....	29
Table 14 - Mean assessment score - By District (NACO supported Vs. Non-NACO).....	31
Table 15 - Number of Blood Banks Scored above 70- by District.....	31
Table 16 - Mean assessment score by category of blood banks	32
Table 17 - Mean assessment score by Ownership	33
Table 18 - Mean assessment scores categories by Ownership	33
Table 19 - Mean assessment score by Annual collection	34
Table 20 - Mean assessment score by Voluntary blood donation	34
Table 21 - Mean assessment score by EQAS enrollment.....	35
Table 22 - Mean assessment score by Accreditation	35
Table 23 - Distribution of Blood banks by Districts and mean assessment score categories..	35
Table 24 - Distribution of Blood banks by Districts and mean assessment score categories..	36

Figures

Figure 1 - Availability of BBs per 1,000,000 (1 million) Population.....	8
Figure 2 - License Status (n=24).....	10
Figure 3 - Annual Collection and Voluntary Donation	11
Figure 4 -Type of Blood Donation (Voluntary vs. Replacement Donation %).....	11
Figure 5 -Annual Collection per 100 population- District wise	13
Figure 6 - Annual Collection per 100 population Vs BBs per 1 million- District wise	14
Figure 7 - Percentage of Voluntary Blood Donation by District (Overall)	15
Figure 8 - Percentage of Voluntary Blood Donation by District (NACO Supported).....	15
Figure 9 - Percentage of Voluntary Blood Donation by District (Non-NACO).....	16
Figure 10 - Transfusions Transmitted Infection (%) -Jan-Dec 2015	17
Figure 11 - HIV Seroreactivity- By District (%)	18
Figure 12 - HCV Seroreactivity- By District (%).....	18
Figure 13 - HBV Seroreactivity- By District (%).....	19
Figure 14 - Syphilis Seroreactivity- By District (%)	19
Figure 15 - Malaria Positivity- By District (%).....	20
Figure 16 -Total Blood Collection and Component Separation	21
Figure 17 - Percentage of Component Separation- By District (All BBs)	22
Figure 18 - Percentage of Component Separation- By District (NACO Supported).....	24
Figure 19 -Reporting and Documentation	25
Figure 20- Percentage of BB Manpower (At least one)	26
Figure 21- Percentage of At least one trained.....	26
Figure 22 - Regular Supply of Kits.....	27
Figure 23- Categorisation of Blood banks (n=24)	29
Figure 24- Categorisation of NACO Supported BBs (n=18)	30
Figure 25- Categorisation of Non-NACO BBs (n=6).....	30
Figure 26- Mean Assessment Score – By Districts (All BBs).....	30
Figure 27- BBs with Component-Score (n=8).....	32
Figure 28- BBs without Component-Score (n=16).....	32

Executive Summary

Blood Banks in Uttarakhand

According to Central Drugs Standard Control Organization (CDSCO), there were 24 blood banks in Uttarakhand in 2015. The assessment exercise identified 26 functional blood banks across the state excluding two military blood banks. Of the 26 blood banks, 20(76.92%) were supported by National AIDS Control Organization(NACO), Ministry of Health and Family Welfare, Government of India and the remaining 6 were Non-NACO blood banks.

Dehradun (6) had the highest number of blood banks followed by Haridwar (4), Udham Singh Nagar (4) and Nainital (3). There are 13 districts in the state of Uttarakhand. 53.84% (14) of all the blood banks (n=26) in the Uttarakhand were in 4 districts that are, Dehradun (6), Haridwar (4) and Udham Singh Nagar.

Considering the number of blood banks per one million population, districts such as, Udham Singh Nagar (1.21), Haridwar (1.06) recorded less than the State average of 2.05 blood banks per 1,000,000 (one million) population.

In the assessment, 24 blood banks (18 NACO supported – 75% and 6 Non-NACO-25%) which have submitted the assessment forms in complete were included in the analysis.

Description of blood banks

- Around 33% (8) of the blood banks in the state had component separation facility.
- The not-for-profit sector each owned 16.7% of the blood banks in the state followed by public 66.67% of the blood banks.
- The majority (16; 88.88%) of NACO supported blood banks were owned by the public sector and the remaining (2, 11%) were owned by non-profit/not-for-profit sector such as NGOs, charitable trusts, societies, foundations etc.
- The majority of the blood banks (22; 91.7%) were attached to hospitals, and the remaining (1; 4.2%) were standalone blood banks and attached to lab each.
- The majority of the blood banks (17; 71%) had a valid and current license, and the remaining (7; 29%) had applied for renewal .Around (11; 61%) of NACO supported and (6; 100%) of Non-NACO blood banks had a valid and active license.

Annual Collection and Voluntary Blood Donation

- During January to December 2015, the annual blood collection from all the blood banks that reported was 110,679 of which 87.95% were through voluntary blood donations and the remaining were from replacement donations.

- The average annual collection of blood units of all the blood banks in the state was 4812 units. The average annual collection of NACO supported blood banks was found to be higher (5,798 units) than the Non-NACO blood banks (2,020 units).
- The blood banks with component separation units recorded an average higher collection of 9,267 units compared to blood banks without blood component separation units which was 2436 units.
- The NACO supported blood banks collected 89.05% (98,560 units) of the total collection, of which 92.94% (91,603) units were through voluntary blood donation. The Non-NACO blood banks collected 10.94% (12,119) units of which 47.43% (5,749) units were through voluntary blood donation.

Transfusion Transmitted Infections

- HIV seroreactivity was found to be 0.10%, Hepatitis-C was 0.67%, Hepatitis-B 0.76%, Syphilis 0.13% and Malaria 0.13%. However, there is a huge variation between districts.

Component Separation

- Around 57% of blood units collected by blood banks with component separation facilities, were used for component separation in Uttarakhand.
- The percentage of component separation was higher (59.61%) in Non-NACO blood banks compared to NACO supported blood banks (56.61%).

Quality Management Systems

- 91.66% of the blood banks reported that they adhered to the NBTC guidelines.
- Availability of document control system was reported by less than 38% of the blood banks in the state. Around 44% of NACO supported blood banks and 16.66% of Non-NACO blood banks reported they had a document control system.
- 79.16% of the blood banks reported to have standard operating procedures (SOPs) for technical processes.
- Practice of internal quality control (IQC) for Immunohematology was reported by 50% of the blood banks and IQC for TTIs was reported by 54.16% of the blood banks, with slight variation between NACO supported and Non-NACO blood banks.
- Around 66% of the blood banks reported carrying out quality control for kits, reagents and blood bags.
- Only 8.33% and 8.33% of the blood banks in state have enrolled themselves in External Quality Control Systems (EQAS) by recognized providers for both immunohematology and TTIs respectively.
- 4.16% of the blood banks that participated in the assessment were accredited by National Accreditation Board for Hospitals & Healthcare Providers (NABH).

- Designated and trained Quality Managers and Technical managers were available only in 25% of the blood banks.
- More than 79.16% of the blood banks reported that they had a regular equipment maintenance programme and around 70% of the blood banks reported that they calibrate the equipment as per requirement.

The current status of blood banks based on the assessment

- The mean assessment score of blood banks in the state was 58.23; SD (15.61). The NACO supported blood banks scored slightly higher (60.22; SD: 15.37) than the Non-NACO blood banks (52.25; SD: 16.12).
- Around 89% of all the blood banks under NACO supported were in public sector and present across sub-divisional and divisional/district hospitals catering all segments of the population including rural areas. Whereas, the (66.7%) of the Non-NACO blood banks were in Private sector.
- At the state level, the majority of blood banks (71%) scored between 35 to 70 and 25% scored above 70. One blood bank scored less than or equal to 35.
- Around 72% of NACO supported and 67% of Non-NACO blood banks scored between 35 and 70. Around, 28% of NACO supported blood banks and 16% of Non-NACO blood banks scored more than 70%.
- Among the districts, Dehradun (68.75) scored the highest and Chamoli (44.00) scored the least. Four districts scored above the state average.
- Of the 6 blood banks that scored more than 70 score, only 1 (16.66%) were Non-NACO blood banks. The majority of blood banks that scored above 70 were from Dehradun (3) followed by Haridwar (2), Nainital (1).
- The mean score of blood banks with component facilities (69.19; SD: 14.93) was found to be higher than the mean score of those without component facilities (52.75; SD: 13.17).
- The mean assessment score of not-for-profit (NGO/Trust/Charitable) owned blood banks (65.88; SD: 31.44) was found to be higher than the public sector blood banks (56.50; SD: 11.23).
- NACO supported blood banks run by not-for-profit sector had scored higher (90.00; SD: 11.31) compared to Non-NACO blood banks NGO/Trust/Charitable blood banks (40.00; SD: 18.38).
- The mean assessment score of blood banks that collected more than 5000 blood units (69.89; SD: 15.02) was found to be higher than those which collected between 3001 and 5000 (65.12) and less than 3000 blood units (51.19; SD: 11.08).
- The NACO supported blood banks had reported a higher mean assessment score than the Non NACO blood banks in the categories more than 50-74%. No NACO blood banks have scored lesser than 50%.
- The mean score was found to be higher among the blood bank that were part of EQAS for immunohematology and Transfusion-Transmitted Infections (98.00) as compared to those who were not enrolled (58.00; SD: 12.51).

It is evident from the assessment that blood banks that focussed on quality improvement systems performed better than others. Considering the deleterious effect of poor quality practices on patient care, it is imperative that specific programmes and strategies to improve quality systems in blood transfusion services are developed and implemented across the state.

Assessment of Blood Banks in Uttarakhand

1. Background

Blood Transfusion Service (BTS) is an essential part of modern health care system without which medical care is impossible (Pal, Kar, Zaman, & Pal, 2011). Adequate measures to ensure blood safety play a major role in preventing the transmission of HIV, Hepatitis and other bloodborne pathogens in health care settings. The blood and its products must not only be safe but must be clinically effective, and of appropriate and consistent quality (WHO, 2012). Ensuring the safety and availability of blood and blood products is an essential public health responsibility which is primarily the responsibility of the government or the appropriate national health authority of each country (Ramani, Mavalankar, & Govil, 2007). Therefore, it is important to establish a sustainable national blood system that should be supported by a National blood policy, strategic plan, and appropriate legal instruments (WHO, 2011). The Twenty-eighth World Health Assembly resolution number WHA 28.72 of 1975 urged member countries to promote the development of national blood services based on voluntary non-remunerated blood donation (VNRBD); to enact effective legislation governing the operation of blood services and to take other actions necessary to protect and promote the health of blood donors and of recipients of blood and blood products (WHO, 1975).

However, provision of safe and quality blood for a country like India involves a highly complex operation involving various stakeholders, and the magnitude and complexity of issues raise several challenges (GOI, 2003). This requires a holistic and comprehensive approach to planning, designing and operationalizing the BTS. It is important to ensure coordination between blood transfusion services, health services and hospitals, educational institutes, religious, social and industrial organizations, mass media, and other stakeholders including the general public. The system should ensure adequate resources and inputs into the legislative, regulatory, technical, social, and cultural aspects of making this life-saving product accessible and safe.

The need for blood is paramount and universal. However, millions of patients requiring transfusion do not have timely access to safe blood, and there is a major imbalance between developing and industrialized countries in access to safe blood (WHO, 2009). There is a huge inequity in the availability of blood within countries, with the urban areas having more access to the majority of blood available. Even if sufficient blood is available, many are exposed to avoidable, life-threatening risks through the transfusion of unsafe blood. In order to ensure universal access to safe and quality blood, achieve 100% voluntary blood donation and quality-assured testing of donated blood, strengthening the blood transfusion services with evidence-based, innovative and result-oriented strategies are essential. It is also imperative to optimize blood usage, develop quality systems in the transfusion chain, strengthen the workforce, adopt new developments, and build effective partnerships (WHO, 2008).

The National AIDS Control Organization(NACO), under the Ministry of Health and Family Welfare, and the National Blood Transfusion Council (NBTC), which is the apex policy making body, are the prime bodies responsible for the functioning of blood transfusion services and blood safety in India at the national level. At the state level, the respective state AIDS Control societies(SACS) and State Blood Transfusion Councils(SBTCs) are responsible for the smooth functioning of blood transfusion services. As blood and blood products are considered as drugs, the Central Drug Standard Control Organisation(CDSCO) and State Drug Control Organisations play a vital role in key aspects such as, approval of licenses, and enforcement of standard transfusion practices to ensure safe, quality and efficacious blood and blood components in clinical practices.

Several directions, guidelines, and legal measures during the last two decades facilitated the significant improvement of blood transfusion services in the country. The Supreme Court verdict in 1996 directed the government to improve the blood transfusion services that resulted in establishing the National and State Blood Transfusion Councils. The Drugs and Cosmetics Rules, 1945, framed under the Drugs and Cosmetics Act, 1940 were amended in 1993, as a result of which the licensing of blood banks was brought under the dual authority of the state and central government (MoHFW, 2013). The state licensing authority issues the license, while the Drug Controller General (India) is the central license approving authority. In 2002, the WHO Guidelines on the Clinical Use of Blood was adopted by NACO. In the same year, the Government of India framed and adopted the National Blood Policy (NBP) (NACO, 2007a).

In 2007, the National AIDS Control Organization developed standards for blood banks and blood transfusion services. This clearly spelled out the need for mandatory licensing and compliance to all regulatory norms; compliance to policies/ guidelines of NBTC; donor selection/ recruitment/ retention/ counseling based on voluntary non-remunerated regular repeat blood donors; appropriate blood collection procedures; mandatory testing of all donated Blood units for HIV, HBV, HCV, Syphilis and Malaria; transportation of blood and blood components ensuring cold chain maintenance; manpower requirements; maintenance of quality assurance system; regular maintenance and calibration of equipment; biosafety; waste disposal mechanisms; documentation, record keeping and regular reporting under the national programme(NACO, 2007b).

Since the inception of the National AIDS Control programme in 1992, the blood safety programme in India under the National AIDS Control Organization has been making significant strides towards ensuring access to safe, and quality blood and blood products to all those who are in need of a transfusion. The goals and objectives of the programme are to ensure provision of safe and quality blood even to the most remote areas of the country. NACO has been taking continuous steps to strengthen the blood banks across the country by providing equipment, consumables, manpower and capacity building. The efforts to modernizing blood-banks, establishing model blood banks, and setting up blood storage centres in rural areas have improved the quality of blood transfusion services in the country. The current phase of the NACP IV (2012 -2017) focuses on blood safety that aims to support

1,300 blood banks, and achieve 90,00,000 blood units from NACO supported Blood Banks and 95% Voluntary Blood Donation in 2016-17. The key strategies under NACP IV are strengthening management structures of blood transfusion services, streamlining the coordination and management of blood banks and blood transfusion services, and developing new initiatives such as the establishment of Metro Blood Banks and Plasma Fractionation Centre (NACO, 2014).

Due to the continuous efforts in India, the availability of safe blood increased from 44 lakh units in 2007 to 100 lakh units by 2014-15; during this time HIV seroreactivity also declined from 1.2% to 0.2%, and Voluntary Blood Donation increased substantially (NACO, 2016). NACO has been providing technical and operational support to improve the efficiency and effectiveness of these blood banks, thereby, increasing the availability and accessibility of safe and quality blood and blood products to those who are in need. Though there has been a substantial improvement in BTS in India over a period of time, there are still gaps in ensuring access to quality blood and blood products that needs to be addressed at the district, state and regional levels through an evidence-based approach.

In order to have evidence-based programmes, and policies, accurate and updated information at the district, state and national level is an essential prerequisite. Lack of updated information is one of the key barriers affecting the planning and implementation of blood transfusion services across the country. Though current programmes emphasize Quality Management Systems (QMS) including EQAS and accreditation in blood banks, not much information is available related to this area. In particular, information on the existing practices of blood banks, their potential, and willingness to get involved in the programmes on QMS are critical factors that will facilitate developing appropriate strategies and programmes related to QMS at the National level.

Therefore, facility-wise updated information on structural and programmatic components, the gaps, and challenges are required which will not only facilitate in developing better programmes and policies in BTS, but also serve as a baseline for specific programmes that are being, and will be implemented at the district, state, regional, and national levels. Considering the above factors, a nationwide assessment of all the Blood Banks was conducted.

2. Objectives

The overall purpose of this assessment was to understand the current situation of blood banks, in terms of facilities, services, practices, performance, gaps, and challenges.

The specific objectives were:

- To review the existing situation in blood banks in terms of collection of blood, voluntary blood donation, quality management systems, and other programme areas.
- To categorize and grade the blood banks using a scoring system, for implementation of phased quality improvement systems.
- To provide evidence for the formulation of evidence-based policies and programs for blood transfusion services in India.
- To develop an updated database with basic essential details of blood banks in the country.

3. Methodology

This assessment was a cross-sectional survey that captured the current situation of all the blood banks that are owned by the government, private, non-profit and not-for-profit organizations in the state during the reporting period – January to December 2015. In order to create a comprehensive and accurate list of functional blood banks in the state, data (list of blood banks) from multiple sources were obtained which included NACO, NBTC, CDSCO, state drugs control organizations, SACS, and SBTCs. These were further reviewed for duplication, errors in name and other necessary details, and triangulated to arrive at a comprehensive list of district wise functional blood banks.

Following this, an assessment tool was designed as a web-based survey tool in REDCap Software - Version 6.11.2 which was developed by an informatics core at Vanderbilt University with support from National Center for Research Resources (NCRR) and National Institute of Health (NIH) grants. An exclusive online survey link for each blood bank, generated from REDCap, was sent to all the blood banks. This online link was linked to the email ID of the blood bank and Unique IDs created for each blood bank. Since many blood banks did not have adequate internet facility, a paper format was also developed which was sent to all the blood banks by post with a pre-stamped and self-addressed envelope. The data from the completed paper forms were then entered into REDCap.

Tool: A self-assessment questionnaire that included all the below-mentioned components was developed in consultation with programme officials and experts from the areas of public health, epidemiology, bio-statistics, and transfusion medicine.

The review focused on the following components:

Table 1 - Details of technical areas included in the assessment

S No	Component	Description
1	General	Basic details, Ownership, Category, License, etc.
2	Collection and VBD	Annual Collection, VNRBD and donor management
3	Technical – IH, TTIs, components	Methods, Performances
4	Quality Management System	Check for compliance to guidelines and standards
5	HR, Training, and Equipment	Availability and Participation

Data Management and Analysis: The database for this study was developed and maintained by Clinical Data Management Centre (CDMC), Department of Biostatistics, Christian Medical College, and Vellore, India. In-built validation checks were incorporated in the system to confirm that all study related parameters are captured completely and accurately.

Data were analyzed using SPSS Version 21 for Windows. The data were screened for outliers and extreme values using histograms, frequency distribution and Box plots. To summarize the whole data, frequency distributions and bar/pie charts were done for qualitative (categorical) variables such as ownership, type of blood banks etc., and descriptive statistics like mean, standard deviation (SD), median, minimum, and maximum were done for quantitative variables such as annual collection, voluntary blood donation, etc.

Categorisation of blood banks and scoring: In order to study variables that impact quality, the blood banks have been categorized into two groups based on the availability of component separation facility. The first category comprises of blood banks with component separation facility that includes Model Blood Banks and Blood Component Separation Units (BCSU) in NACO supported blood banks. Model blood banks collect more than 10,000 units and BCSUs collect between 5,000 to 10,000 units of blood annually. The second category includes blood banks without component separation facility that covers major blood banks and District Level blood banks (DLBB) in NACO supported blood banks. Major blood banks collect between 3,000 and 5,000 units and district level blood banks collect up to 3,000 units annually.

Each component of the tool was given a weight based on the programmatic and quality priorities. The maximum achievable sum of all weighted scores under each component totaled 100 marks.

Table 2 - Scoring details and weight

Details	With Components	Without Components
Licence	3	3
Annual Collection, VBD, Repeat donation and Counselling	11	16
Technical - IH, TTI and Component separation	43	38
Quality Management Systems	35	35
Reporting	8	8
TOTAL	100	100

The scoring pattern was different based on the category of blood banks that are: 1. Blood banks with component separation facility (n=8) and, 2. Blood banks without component separation facility (n=16). Scores were allocated to each indicator under specific components based on the expected level of performance by these two categories of blood banks.

The blood banks were categorized based on the scores obtained by each blood bank that are, less than and equal to 35 (Red); 36 to 70 (Yellow) and above 70 (Green).

4. Key Findings

According to CDSCO, there were 24 blood banks in the state of Uttarakhand in 2015 (CDSCO, 2015). However, the assessment exercise identified 26 functional blood banks across the state excluding the two military blood banks. Of the 26 blood banks, 20(76.92%) were supported by National AIDS Control Organization(NACO), Ministry of Health and Family Welfare, Government of India and the remaining 6 were Non-NACO blood banks. 24 of the total functional blood banks, have submitted the assessment forms in complete and were included in the analysis.


Table - 3 indicates the District wise details of all the blood banks in the state, including the description of NACO supported and Non-NACO blood banks. Dehradun (6) had the highest number of blood banks followed by Haridwar (4), Udham Singh Nagar (4), Pauri Garhwal (3) and Nainital (3).

In terms of NACO supported blood banks, districts like Dehradun (4) had maximum Blood banks followed by Nainital (3) and Pauri Garhwal (3) while rest of the districts had less number of blood banks. Around 53.84% (14) of all the blood banks (n=26) in the Uttarakhand were in 4 districts that are, Dehradun (6), Haridwar (4) and Udham Singh Nagar (4).

Table 3 - District Wise Descriptions of Blood Banks

District	NACO Supported	Non-NACO	Total
Almora	2	-	2
Chamoli	1	-	1
Dehradun	4	2	6
Haridwar	2	2	4
Nainital	3	-	3
Pauri Garhwal	3	-	3
Pithoragarh	1	-	1
Udham Singh Nagar	2	2	4
Uttarkashi	1	-	1
Tehri Garhwal	1	-	1
Uttarakhand	20	6	26

Figure 1 - Availability of BBs per 1,000,000 (1 million) Population



Considering the number of blood banks per one million population, districts such as, Tehri Garhwal (1.62) , Udham Singh Nagar (1.21), Haridwar (1.06) recorded less than the State average of 2.05 blood banks per 1,000,000 (one million) population.

4.1 Basic details of blood banks (n=24)

As indicated earlier, 24 blood banks (18 NACO supported and 6 Non-NACO) submitted the assessment forms and were included in the analysis.

4.1.1 Category of Blood Banks: Out of 18 NACO supported blood banks 5(27.8%) blood banks had component separation facility. Out of 6 Non-NACO blood banks 3(50%) were with component separation facility.

Table 4 - Basic details of blood banks

Specifics	Description	NACO Supported	Non-NACO	Total
Type of BB	With components	5(27.8%)	3(50%)	8(33.3%)
	Without components	13(72.22%)	3(50%)	16(66.67%)
Ownership	NGO/Trust/Charitable	2(11.1%)	2(33.3%)	4(16.7%)
	Private	-	4(66.7%)	4(16.7%)
	Public	16(88.9%)	-	16(66.7%)
Licence	Valid	11(61.1%)	6(100%)	17(70.8%)
	Under Renewal	7(38.9%)	-	7(29.2%)
Attachment	Attached to Hospital	17(94.4%)	5(83.3%)	22(91.7%)
	Stand alone	1(5.6%)	-	1(4.2%)
	Attached to Lab	-	1(16.7%)	1(4.2%)

At the District level, Dehradun had the highest percentage of blood component separation units 5 (83.3%), followed by Udham Singh Nagar 2 (50.0%), Nainital 1 (33.3%).

Among NACO Supported blood banks, only districts of Dehradun (3), Nainital (1), Udham Singh Nagar (1) had component separation facility.

4.1.2 Ownership: As depicted in Table:-4, Majority of Blood bank (16, 66.67%) are owned by Public sector followed by Private (4, 16.67%) and non-profit/not-for-profit sector (4, 16.67%). The majority (16; 88.88%) of NACO supported blood banks were owned by the public sector and the remaining (2,11%) were owned by non-profit/not-for-profit sector such as NGOs, charitable trusts, societies, foundations etc. The Private sector had a higher proportion (3, 75%) of blood component separation facility than the not-for-profit sector (2, 50%) and public sector (3, 18.75%). Only the NACO supported non-profit/not-for-profit sector blood banks (2, 50%) had Component Separation facility.

Around 50% of all the not-for-profit blood banks (n=4) were clustered in Dehradun (2). All the blood banks in the public owned blood banks were equally distributed in all the Districts. Whereas, all the private owned blood banks were in three districts which are Dehradun (50%), Haridwar (25%), Udham Singh Nagar (25%).(Refer Table - 5)

Table 5 - District wise list of blood banks by Ownership


District	Public	%	Not-for-profit	%	Private	%	Total
Almora	2	100	-	-	-	-	2
Chamoli	1	100	-	-	-	-	1
Dehradun	2	33	2	33	2	33	6
Haridwar	2	50	1	25	1	25	4
Nainital	3	100	-	-	-	-	3
Pauri Garhwal	2	100	-	-	-	-	2
Pithoragarh	1	100	-	-	-	-	1
Udham Singh Nagar	2	50	1	25	1	25	4
Uttarkashi	1	100	-	-	-	-	1
Uttarakhand	16	67	4	17	4	17	24

4.1.3 Organizational Attachment: The majority of the blood banks (22; 91.7%) were attached to hospitals, and the remaining (1; 4.2%) were standalone blood banks and attached to lab each which were in the Non NACO sector whereas all the NACO supported blood banks were attached to hospitals.

4.1.4 License details of blood banks: The license status was categorized as “valid” which means that the blood bank has current and active license; and “deemed renewal” which means that the blood bank had applied for renewal which is pending.

The majority of the blood banks (17; 71%) had a valid and current license, and the remaining (7; 29%) had applied for renewal. Around (11; 61%) of NACO supported and (6; 100%) of Non-NACO blood banks had a valid and active license. Similarly, (4; 100%) of the private blood banks, (4; 100%) of the not-for-profit blood banks, and (9; 56.25%) of the public blood banks had a valid and active license.

Figure 2 - License Status (n=24)



The majority of the public blood banks (2; 28.6%) which have reported as “deemed renewal” had their last inspection by licencing authority during the last one year and (1; 14.3%) had their inspection between the last 1-2 years and 2-3 years whereas (2; 28.6%) did not have their inspection for last 4 years.

4.2 Annual Blood Collection and Voluntary Blood Donation

According to WHO, it is estimated that blood donation by 1% of the population can meet a nation's most basic requirements for blood (WHO, 2016b), which means that Uttarakhand state with a population of 9.75 million, currently needs around 975,620 units of blood. But since Uttarakhand is producing only 110,679 units of blood which is only 88.65% of the basic requirement of blood.

4.2.1 Annual Collection of Blood: During January 2015 to December 2015, the annual blood collection from all the blood banks that reported was 110,679 of which 87.95% were through voluntary blood donations and the remaining were from replacement donations.

Figure 3 - Annual Collection and Voluntary Donation





Figure 4 -Type of Blood Donation (Voluntary vs. Replacement Donation %)



The average annual collection of blood units of all the blood banks in the state was 4812 units. The average annual collection of NACO supported blood banks was found to be higher (5,798 units) than the Non-NACO blood banks (2,020 units).

Table 6 - Average Annual collection

District	NACO Supported	Non-NACO	All BBs
Almora	665	-	665
Chamoli	303	-	303
Dehradun	15794	3585	10910
Haridwar	6117	334	3225
Nainital	6188	-	6188
Pauri Garhwal	1667	-	1667
Pithoragarh	2349	-	2349
Udham Singh Nagar	6318	2142	4230
Uttarkashi	428	-	428
Uttarakhand	5798	2020	4812


Similarly, the blood banks with component separation units recorded a average higher collection of 9,267 units compared to blood banks without blood component separation units which was 2,436 units. However, the variation in the collection was found to be very high across and within districts.

The NACO supported blood banks collected 89.05% (98,560 units) of the total collection, of which 92.94% (91,603) units were through voluntary blood donation. The Non-NACO blood banks collected 10.94% (12,119) units of which 47.43% (5,749) units were through voluntary blood donation. Blood banks with component separation facility collected the majority (66.98%) of blood units (74,137) and the remaining 33.01% (36,542) were collected by blood banks without the component facility. Similarly, blood banks owned by public sector collected 51.79% (57,330) of the total collection followed by the not-for-profit sector 40.18% (44,475) and private sector blood banks (8.01%, 8,874).

Table-7 indicates the district-wise details of the total annual collection, voluntary and replacement donation in the state of Uttarakhand. Blood banks reported a varying proportion of VNRBD ranging from 74 to 95%.

Table 7 - Annual blood collection and percentage of VBD

District	Total Voluntary Donation	Replacement Donation	Annual Collection	VBD %
Almora	1228	101	1329	92.4
Chamoli	303	-	303	100
Dehradun	49995	4557	54552	91.7
Haridwar	10402	2498	12900	80.6
Nainital	17595	970	18565	94.8
Pauri Garhwal	2902	432	3334	87
Pithoragarh	1900	449	2349	80.1
Udham Singh Nagar	12599	4320	16919	74.5
Uttarkashi	428	-	428	100
Uttarakhand	97,352	13,327	1,10,679	88

Figure 5 -Annual Collection per 100 population- District wise

The annual collection of blood units per 100 individuals was found to be around 1.32% in the State which is meeting the WHO suggested requirement that 1% of the population can meet a nation's most basic requirements for blood. However, there is a huge disparity in the collection of blood between districts. Chamoli collected only 0.08 units of blood per 100 population followed by Uttarkashi (0.13), Almora (0.21), Pauri Garhwal (0.49), Pithoragarh (0.49), Haridwar (0.68) and Udham Singh Nagar (1.03). Two districts in the state recorded an annual collection of more than 1.32 units per 100 populations. (Refer Fig-5).

Figure 6 - Annual Collection per 100 population Vs BBs per 1 million- District wise





Figure 6 illustrates the district wise comparative information of annual collection per 100 population and number of blood banks per one million population. This indicates that the state had around 2.05 blood banks per million population that collected around 1.32 units per 100 population at the ratio of 2.05 BB: 1.32 blood unit. Dehradun had a ratio of 2.36:3.22 which indicated that district collected more blood with less number of Blood Banks whereas the rest of the district collects relatively less blood with more number of blood banks proportionate to population.


4.2.2 Voluntary blood donation: As depicted in Figure-7, five districts have recorded more than the state average of 88%. Districts such as Chamoli and Uttarkashi reported 100 % voluntary blood donation. Four districts collected less than 88% of voluntary blood donation during January to December 2015.

Figure 7 - Percentage of Voluntary Blood Donation by District (Overall)




In terms of NACO supported blood banks, four districts have recorded a higher proportion of voluntary donation which is above the state average of 93%. Chamoli and Uttarkashi reported 100% voluntary blood donation. Five districts reported less than the State average of 93% of voluntary donation during January to December 2015.

Figure 8 - Percentage of Voluntary Blood Donation by District (NACO Supported)



Among Non-NACO blood banks, one district recorded more than state average i.e. 47% and two districts recorded less than even the state average.


Figure 9 - Percentage of Voluntary Blood Donation by District (Non-NACO)



4.3 Transfusion Transmitted Infections (TTIs)

Transfusion-Transmitted Infections (TTIs) are major problems associated with blood transfusion (Chandra, Rizvi, & Agarwal, 2014; Gupta, Singh, Singh, & Chugh, 2011). Screening for TTIs such as HIV 1, HIV 2, Hepatitis B, Hepatitis C, Malaria, and Syphilis is mandatory in India. Due to the concerted and active efforts, the seroreactivity percentage of TTIs has come down significantly over the years.

Figure 10 - Transfusions Transmitted Infection (%) - Jan-Dec 2015



The seroreactivity of TTI among blood donors in the year 2015 is depicted in Fig-10. HIV seroreactivity was found to be 0.10%, Hepatitis-C was 0.67%, Hepatitis-B 0.76%, Syphilis 0.13% and Malaria 0.13%. However, there is a huge variation between districts.

Table 8 depicts that all the Transfusion Transmitted Infection rates were higher in NACO supported blood banks except for HIV Seroreactivity and Malaria Positivity which was found to be higher in Non-NACO supported blood banks.

Table 8 - Transfusion Transmitted Infections (%)


Category of BB	Transfusion Transmitted Infections %				
	HIV	HCV	HBV	Syphilis	Malaria
NACO Supported	0.10	0.67	0.78	0.13	0.01
Non-NACO	0.13	0.65	0.56	0.13	1.08
Overall	0.10	0.67	0.76	0.13	0.13

4.3.1 Transfusion Transmitted Infections by Category of blood banks: HIV, HCV and Syphilis sero-reactivity rates did not indicate much difference between blood banks with component and without component separation facility. The blood banks with component facility indicated a higher reactivity of HBV (0.81%) whereas malaria was reported to be higher (0.38%) in blood banks without component facility.

Table 9 - Transfusion Transmitted Infections by category of blood banks


Category of BB	Transfusion Transmitted Infections %				
	HIV	HCV	HBV	Syphilis	Malaria
BBs with component facility	0.11	0.66	0.81	0.14	0.01
BBs without component facility	0.09	0.68	0.64	0.11	0.38
Overall	0.10	0.67	0.76	0.13	0.13

Figure 11 - HIV Seroreactivity- By District (%)



Seven districts indicated lower HIV seroreactivity than the state average of 0.10%. However, Dehradun (0.14%) and Haridwar (0.15%) recorded a higher HIV seroreactivity than state average.


Figure 12 - HCV Seroreactivity- By District (%)



When considering Hepatitis C infection, Udham Singh Nagar (1.87) recorded a Seroreactivity level higher than the state average of 0.67% while other districts scored less than the state average.


Hepatitis B seroreactivity was found to be higher than the state average of 0.76% in Udham Singh Nagar (1.62) whereas Districts like Nainital (0.74%), Uttarkashi (0.70%), Haridwar (0.67%) Dehradun (0.58%), Pauri Garhwal (0.36%), Almora (0.15%) and Pithoragarh (0.09%) had a lower seroreactivity than the state average. Chamoli district reported to have 0% HBV seroreactivity.

Figure 13 - HBV Seroreactivity- By District (%)




Syphilis seroreactivity was found to be higher than the state average of 0.13% in districts like Udham Singh Nagar (0.22), Dehradun (0.16), Almora (0.15). Six districts recorded less than the state average.

Figure 14 - Syphilis Seroreactivity- By District (%)



The majority of the districts indicated a lower positivity of Malaria than the state positivity rate of 0.13% whereas Haridwar recorded a higher positivity than the state average.

Figure 15 - Malaria Positivity- By District (%)



4.4 Component Separation

As depicted in Figure-16, around 56.94% of blood units collected by blood banks with component separation facilities, were used for component separation in the state. The percentage of component separation was higher (59.61%) in Non-NACO blood banks compared to NACO supported blood banks (56.61%).

Figure 16 - Total Blood Collection and Component Separation




Table 10 - Total Annual Collection by BCSUs and Percentage of Component Separation

District	Total Annual Collection	Total Collection by BCSUs	Percentage of component separation
Almora	1329	-	-
Chamoli	303	-	-
Dehradun	54552	54552	98.95
Haridwar	12900	-	-
Nainital	18565	11231	66.98
Pauri Garhwal	3334	-	-
Pithoragarh	2349	-	-
Udham Singh Nagar	16919	8354	18.23
Uttarkashi	428	-	-
Uttarakhand	1,10,679	74,137	85.01

The percentage of component separation out of the total collection was more than 98% in Dehradun.

Figure 17 - Percentage of Component Separation- By District (All BBs)





Figure 18- Percentage of Component Separation- By District (NACO Supported)



The percentage of component separation in the blood banks is illustrated in Figure-17 which indicated only three districts had component facility available and Dehradun had 99% of the donated blood used for component Separation while Nainital and Udham Singh Nagar reported percentage of component separation less than the state average (85%).

In the NACO supported blood banks Dehradun had 99.4% of the donated blood used for component Separation facility followed by Nainital (67%) and Udham Singh Nagar (17.3%).

4.5 Quality Management Systems

Quality is defined as the totality of characteristics of an entity that bears on its ability to satisfy the stated and implied needs (Schlickman, 1998). It is a spectrum of activities and processes that shape the characteristics of a product or service. Quality systems are defined as the organizational structure, resources, processes, and procedures needed to implement quality management (ISO-8402, 1994) and Quality Management System is the sum total of all business policies, processes and procedures required for the execution of production, development or service of an organization.

Blood transfusion is a multi-step process with the risk of error in each process from selecting donors, collecting and processing donations, testing of donor and patient samples, issue of compatible blood, to transfusing the patient (WHO, 2016a). An effectively planned and implemented quality system that includes internal quality assessment, external quality assessment, and education and training of staff can significantly reduce the risk associated with blood transfusion.

The assessment captured several parameters that influence the quality of service provision. Some of the key parameters are mentioned in Table -11. The majority of blood banks (91.66%) reported that they adhered to the NBTC guidelines. Availability of document control system was reported by only 37.5% of the blood banks in the state. Around 44% of NACO supported blood banks and 16.66% of Non-NACO blood banks reported they had a document control system. In terms of Standard Operating Procedures (SOPs) for technical processes, more than 79.16% reported that they had SOPs.

Table 11 - Availability of Quality Parameters in Blood Banks

Quality Parameters	NACO/NON-NACO		All Blood Banks (n=24)
	NACO supported (n=18)	Non-NACO (n=6)	
Compliance with NBTC guidelines	18	4	22
	100%	66.6%	91.6%
Availability of Documental Control System (DCS)	8	1	9
	44.4%	16.6%	37.5%
SOPs for Technical Processes	15	4	19
	83.3%	66.6%	79.2%
IQC for IH	9	3	12
	50%	50%	50%
IQC for TTI	11	2	13
	61.1%	33.3%	54.2%
QC for kits, reagents and blood bags	12	4	16
	66.6%	66.6%	66.6%
EQAS for IH	1	1	2
	05.5%	16.6%	08.3%

EQAS for TTI	1	1	2
	05.5%	16.6%	08.3%
NABH accreditation for blood banks	1	-	1
	05.5%	-	4.2%
Availability of designated and trained Quality Manager	3	3	6
	16.6%	50%	25%
Availability of designated and trained Technical Manager	3	3	6
	16.6%	50%	25%
Programme for regular Equipment maintenance	15	4	19
	83.3%	66.6%	79.2%
Equipment calibration as per regulatory requirement	12	5	17
	66.6%	83.3%	70.3%

At the state level, Internal Quality Control (IQC) for Immunohematology was reported by 50% of the blood banks and IQC for TTIs was reported by 54.16% of the blood banks, with slight variation between NACO supported and Non-NACO blood banks. Around 67% of the blood banks reported carrying out quality control for kits, reagents and blood bags. The percentage of blood banks enrolled in EQAS by recognized providers was found to be only 8.33% for immunohematology and 8.33% for TTIs. Only 1 (4.16%) blood banks out of the total 24 blood banks that participated in the assessment were accredited by National Accreditation Board for Hospitals & Healthcare Providers (NABH).

Designated and trained Quality Managers and Technical managers were available only in 25% of the blood banks.


More than 79.16% of the blood banks reported that they had a regular equipment maintenance programme and around 70% of the blood banks reported that they calibrate the equipment as per requirement.

4.6. Reporting and Documentation

4.6.1. Compliance to NBTC guidelines

Around, 79% of blood banks reported that they were recovering processing charges within NBTC/SBTC norms and were displaying stock position in their blood bank premises.

Figure 19 Reporting and Documentation




Reporting requirements: In terms of reporting requirement, 83.3% of the blood banks submitted regular reports to state drug controller, 87.5 % of blood banks regularly reported in national strategic information management systems (SIMS). However, only 33.3% regularly reported in E-blood banking either national or state e-blood banking. Only 16.7% of the Blood banks were members of National Haemovigilance Program.

4.7. Human Resources

4.7.1. Availability of staff


4 (16.66%) blood bank out of 24 do not have any medical professional. 95.8% had a technical staff on regular basis. However, only 33.3% had counsellors.

Figure 20- Percentage of BB Manpower (At least one)



4.8. Training of Blood Bank Personnel

Figure 21- Percentage of At least one trained




37.5 % of blood banks had at least one trained technical staff followed by 8.33 % of the blood banks with trained medical officer. Only 16.67 % and 4.17% of blood banks had at least one trained counsellor and donor motivator respectively.

4.9. Equipment and Supplies

4.9.1. Regular supply kits/supplies

Most of the blood banks (95.83%) reported that they had regular supply of blood bags, regular supply of kits and regular supply of blood grouping reagents.

Figure 22 - Regular Supply of Kits



4.9.2. Equipment Availability (working condition)

Table 12 indicates the availability of the different equipment in blood banks. 100% of blood banks in the state reported that they had donor couches, 100% reported that they had instrument for haemoglobin estimation, whereas only 33.3% of blood banks had refrigerated centrifuge in working condition.

Table 12 - BBs having Equipment in working condition

BBs having Equipment in Working Condition		
S No	Equipment	% BB
1	Donor Couches	100
2	Instrument for Hb Estimation	100
3	Blood collection monitor	95.8
4	Quarantine Blood Bank Refrigerator to store untested blood	100
5	Container for safe disposal of sharps	95.8
6	Oxygen supply equipment	100
7	Computers with accessories and software	91.7
8	General lab centrifuge for samples	95.8
9	Bench top centrifuge for serological testing (Immunohaematology)	83.3
10	Blood transportation box (No. in inventory)	87.5
11	Emergency drugs box / Crash cart	95.8
12	Autoclave machine	95.8
13	Water bath	95.8
14	Blood bank refrigerator (storage of tested blood) with temperature recorder	100
15	Automated pipettes	91.7
16	Refrigerated centrifuge	33.3
17	Blood container weighting device	70.8
18	Serology rotator	70.8

4.10. The current status of blood banks based on the assessment

As mentioned in the methodology section, the blood banks were assessed and categorized based on the scores obtained. Though the assessment captured all the aspects of blood transfusion services in blood banks, adequate importance and weightage were given to the technical aspects and adherence to quality management systems.


The mean assessment score of blood banks in the state was 58.23; SD (15.61). The NACO supported blood banks scored slightly higher (60.22; SD: 15.37) than the Non-NACO blood banks (52.25; SD: 16.12).

Table 13 - Mean Assessment score

Type of BB	N	Mean	SD
NACO supported	18	60.22	15.37
Non-NACO	6	52.25	16.12
Total	24	58.23	15.61

At the state level, the majority of blood banks (17; 71%) scored between 35 to 70, followed by (6; 25%) which scored above 70, and only one blood bank scored less than or equal to 35.

Figure 23- Categorisation of Blood banks (n=24)



Around 72% of NACO supported and 67% Non-NACO blood banks scored between 35 and 70. Around, 28% of NACO supported blood banks and 16% of Non-NACO blood banks scored more than 70%. (Refer Figure 23; Figure 24)

Figure 24- Categorisation of NACO Supported BBs (n=18)






Figure 25- Categorisation of Non-NACO BBs (n=6)



Among the districts, Dehradun (68.75) scored the highest and Chamoli (44) scored the least. Four districts scored above the state average. Almost half of the blood banks (45.83%) were located in these districts.

Figure 26- Mean Assessment Score – By Districts (All BBs)



The difference in the mean score at the state level was 8 between NACO and Non-NACO blood banks.

Among the 3 districts that scored higher mean score than the Non NACO blood banks, the difference was more than 5 in 2 districts such as Haridwar and Udham Singh Nagar.

Table 14 - Mean assessment score - By District (NACO supported Vs. Non-NACO)

District	NACO supported	Non-NACO	Total
Almora	45.5	-	45.5
Chamoli	44	-	44
Dehradun	68.6	69	68.8
Haridwar	73.5	35.5	54.5
Nainital	63.7	-	63.7
Pauri Garhwal	54	-	54
Pithoragarh	59	-	59
Udham Singh Nagar	54.8	52.3	53.5
Uttarkashi	60	-	60
Uttarakhand	60.2	52.3	58.2

Only one blood bank from Haridwar district scored less than or equal to 35. The number of blood banks (by district) that scored more than 70 is mentioned in Table-15. Of the 6 blood banks that scored more than 70, only 1 (16.66%) was Non-NACO blood bank. The majority of blood banks that scored above 70 were from Dehradun (3) followed by Haridwar (2), Nainital (1). These 3 districts constitute 25% of the total blood banks of the State.

Table 15 - Number of Blood Banks Scored above 70- by District

District	NACO Supported	Non-NACO	Total
Almora	-	-	-
Chamoli	-	-	-
Dehradun	2	1	3
Haridwar	2	-	2
Nainital	1	-	1
Pauri Garhwal	-	-	-
Pithoragarh	-	-	-
Udham Singh Nagar	-	-	-
Uttarkashi	-	-	-
Uttarakhand	5	1	6

4.10.1 Assessment score by Category of blood banks: The mean score of blood banks with component facilities (69.19; SD: 14.93) was found to be higher than the mean score of those without component facilities (52.75; SD: 13.17)

Table 16 - Mean assessment score by category of blood banks

Type of Blood Bank	NACO Supported			Non-NACO			Total		
	N	Mean	SD	N	Mean	SD	N	Mean	SD
With BCSUs	5	72.80	16.95	3	63.17	10.87	8	69.19	14.93
Without BCSUs	13	55.38	12.15	3	41.33	13.20	16	52.75	13.17

There were 37.4% of Blood banks with component preparation facility that scored more than 70, as compared to 18.75% of blood banks without component facility.

Figure 27- BBs with Component-Score (n=8)





Figure 28- BBs without Component-Score (n=16)



4.10.2 Assessment score by Ownership: The mean assessment score of not-for-profit (NGO/Trust/Charitable) owned blood banks (65.88; SD: 31.44) was found to be higher than the public sector blood banks (56.50; SD: 1123). It was also found that there were more public owned blood banks (3 blood banks) in the more than 70 category compared to only 2 blood banks from not-for-profit (NGO/Trust/Charitable) blood banks.

However, NACO supported blood banks run by not-for-profit sector had scored higher (90.00; SD: 11.31) compared to Non-NACO blood banks NGO/Trust/Charitable blood banks (40.00; SD: 18.38).

Table 17 - Mean assessment score by Ownership

Ownership	NACO supported			Non-NACO			Total		
	N	Mean	SD	N	Mean	SD	N	Mean	SD
NGO/Trust/charitable	2	90.00	11.31	2	40.00	18.38	4	65.00	31.44
Private	-	-	-	4	58.38	13.06	4	58.38	13.06
Public	16	56.50	11.23	-	-	-	16	56.50	11.23

Table 18 - Mean assessment scores categories by Ownership

Ownership	<=35	36 to 70	Above 70	Total
Public	-	13	3	16
	-	81.3%	18.8%	66.6%
NGO/Trust/Charitable	1	1	2	4
	25%	25%	50%	16.6%
Private	-	3	1	4
	-	75%	25%	16.6%
Overall	1	17	6	24
	4.16%	70.83%	25%	100%

4.10.3 Assessment score of Private Sector Blood Banks: Irrespective of the NACO support status, 25% (6) blood banks were owned by private sector, of which, 2 (33.33%) were owned by not-for-profit sector such as, NGO, Trust, and charitable organizations. The mean score of private sector owned blood banks including not-for-profit sector was 61.69 (SD: 22.57) the mean score of public owned blood banks was 56.50 (11.23). Among the private sector, private blood banks (58.38; SD: 13.06) scored slightly higher than the other not-for-profit sector (40.00; SD: 18.38).

Nevertheless, it is also important to note that the average annual collection was higher (6,668 units) in private owned blood banks compared to public blood banks (3,822 Units). Similarly, the percentage of voluntary blood donation was higher in private owned blood banks (86.74 %) compared to the public blood banks (89.09%). Of the total private blood banks, 5(62.5%) had component separation facility whereas only 3 (18.75%) of public blood banks had component separation facility.

4.10.4 Assessment score by Annual Collection: The mean assessment score of blood banks that collected more than 5000 blood units (69.89; SD: 15.02) was found to be higher than those which collected between 3001 and 5000 (65.00) and less than 3000 blood units (51.19; SD: 11.08).

Table 19 - Mean assessment score by Annual collection

Annual Collection	NACO supported		Non-NACO		Total	
	Mean	SD	Mean	SD	Mean	SD
Up to 3000	52.13	7.08	49.70	16.62	51.19	11.08
3001 to 5000	-	-	65.00	-	65.00	-
Above 5000	69.89	15.02	-	-	69.89	15.02

4.10.5 Assessment score by Voluntary Blood Donation: Table -20 provides the mean assessment score of blood banks that have been categorized by percentage voluntary blood donation. The NACO supported blood banks had reported a higher mean assessment score than the Non NACO blood banks in the categories more than 50-74%. No NACO blood banks have scored lesser than 50%.

Table 20 - Mean assessment score by Voluntary blood donation

% VBD	NACO supported		Non-NACO		Total	
	Mean	SD	Mean	SD	Mean	SD
Less than 25	-	-	49.25	19.16	49.25	19.16
50 to 74	55.00	-	51.50	-	53.25	2.47
75 to 90	64.33	7.61	65.00	-	64.43	6.95
Above 90	60.50	18.57	-	-	60.50	18.57

4.10.6 Assessment score by participation in External Quality Assessment Scheme (EQAS) for Immunohematology and Transfusion Transmitted Infections (TTI): The mean score was found to be higher among the blood bank that were part of EQAS for immunohematology and Transfusion-Transmitted Infections (98.00) as compared to those who were not enrolled (58.00; SD: 12.51).

Table 21 - Mean assessment score by EQAS Enrolment

	NACO supported			Non-NACO			Total		
IH-EQAS	N	Mean	SD	N	Mean	SD	N	Mean	SD
YES	1	98.00	-	1	73.00	-	2	85.50	17.68
NO	17	58.00	12.51	5	48.10	13.99	22	55.75	13.21
TTI-EQAS									
YES	1	98.00	-	1	73.00	-	2	85.50	17.68
NO	17	58.00	12.51	5	48.10	13.99	22	55.75	13.21

4.10.7 Assessment score by Accreditation status: The mean score was found to be higher among blood banks that were accredited by National Accreditation Board of Hospitals and Health care Providers (NABH) in comparison to those that were not accredited. Only a NACO supported blood bank in the state of Uttarakhand was accredited by NABH.

Table 22 - Mean assessment score by Accreditation

NABH Accreditation	NACO supported			Non-NACO			Total		
	N	Mean	SD	N	Mean	SD	N	Mean	SD
YES	1	98.00	-	-	-	-	1	98.00	-
NO	17	58.00	12.51	6	52.25	16.12	23	56.50	13.40

The list of blood banks under different categories of score is given in Tables 23 and 24.

Table 23 - Distribution of Blood banks by Districts and mean assessment score categories

Score Category				
District	Up to 35	35 to70	Above 70	Total
Almora	-	2	-	2
Chamoli	-	1	-	1
Dehradun	-	3	3	6
Haridwar	1	1	2	4
Nainital	-	2	1	3
Pauri Garhwal	-	2	-	2
Pithoragarh	-	1	-	1
Udham Singh Nagar	-	4	-	4
Uttarkashi	-	1	-	1
Uttarakhand	1	17	6	24

Table 24 - Distribution of Blood banks by Districts and mean assessment score categories

District	Score Category					
	NACO supported			Non-NACO		
	Up to 35	35 to 70	Above 70	Up to 35	35 to 70	Above 70
Almora	-	2	-	-	-	-
Chamoli	-	1	-	-	-	-
Dehradun	-	2	2	-	1	1
Haridwar	-	-	2	1	1	-
Nainital	-	2	1	-	-	-
Pauri Garhwal	-	2	-	-	-	-
Pithoragarh	-	1	-			
Udham Singh Nagar	-	2	-	-	2	-
Uttarkashi	-	1	-	-	-	-
Uttarakhand	-	13	5	1	4	1

5 Conclusion

Considering the importance of blood transfusion services in the provision of medical care, ensuring quality systems and standards in blood banks are vital, as the blood and its products must not only be safe but also clinically effective and of appropriate and consistent quality. From the programmatic perspective, adequate, accurate and updated information at the district, state and national level is essential for planning and implementation of quality management systems in blood transfusion services across the country. Generation of accurate and essential data from blood banks at regular intervals is imperative to effectively monitor the progress, gaps and challenges in the service provision which would not only facilitate appropriate corrective measures but also facilitate the development of evidence-based policies and programmes.

This state-wide assessment captured most of the required information related to the structure, services, facilities, availability of human resources, equipment, quality management system and practices in blood banks across the state. All blood banks in Uttarakhand function subject to obtaining and maintaining a license for operations from the FDA which means compliance to basic quality standards mentioned in the Drugs and Cosmetic Act 1940 and Rules 1945 there upon. However, this assessment brings out specific gaps and possible opportunities to improve quality standards in Transfusion Services at the state.

The 18 NACO and 6 Non-NACO blood banks which were included in the review are approximately excluding two military blood banks existing in the state. The annual collection of these blood banks was 9.7 lakhs units which is approximately 88.65% of the total blood requirement based on WHO estimation that blood donation by 1% of the population can meet a nation's most basic requirements for blood (WHO, 2010). However, there is a huge variation between districts that ranges from 0.08 units to 3.22 units per 100 population. Clinical demand for blood and blood products can happen only when there is a health care facility with adequate infrastructure in proximity to a blood bank. The relatively lower collection of blood in the few districts could be due to the fact that there is lower demand for blood because of the gaps in availability, accessibility, and affordability of health care services.

The review also revealed that the majority of blood collection (66.98%) was by blood banks with the component facility compared to smaller blood banks without component facility. Though there the percentage of voluntary blood donation over the years is around 87.96% in 2015), there is still a variation between districts that ranges from 80% to 100%. A targeted program to increase the non-remunerated voluntary blood donors will go a long way towards ensuring a safer option for our patients.

It is also evident that the distribution of blood banks is skewed with 70.83 % of the all the blood banks in the state relegated to only 4 districts. More than half (53.84%) of the districts (13) have more than the state average of 1.84 blood banks per million population. The

potential impact of this distribution of blood banks and collection of blood on other health indices may be further studied.

Almost one fourth(29.2%) of the blood banks having their licensing status in pendency may be an indication of an opportunity to strengthen the regulatory system by modern technological modalities to ensure a standardized, timely and transparent licensing process. It is also essential to review and update the regulatory framework to keep up with recent scientific developments and modernize the transfusion practice in the state.

The provision of a blood component separation unit in the blood bank and the volume of collection apparently have a positive influence on the quality. The inequity in the distribution of component separation facilities across districts and region is very evident. However, it is important to note that in the absence of reliable laboratory support, it will not be possible to ensure rational use of blood and its components. It is difficult to sustain cost-effective component production when the volume of operations is low without compromising the quality of the blood provided to the patients who access this service. Given that the provision of safe and high-quality blood in areas where access is a challenge is still the remit of the state, it is essential to explore new cost effective innovative methods in partnership with non-governmental agencies.

For the first time, a quality score system has been created and applied to the blood banks. This review indicated a mean score of 65.45 with significant variations across the category of blood banks, ownership, voluntary blood donation, participation in proficiency testing (EQAS) and accreditation status. It is important to understand that there is a huge variation between districts on several parameters included in the assessment. This suggests the need for targeted and customized approach to address the gaps and challenges faced by the blood banks in the state. This assessment suggests that blood banks owned by trusts/charities in the private sector seemed to have performed slightly better in the quality parameters. This may be partly due to access to resources, both financial and technical, to enhance capacity and modern technology to overcome potential barriers to quality.

It is evident from the assessment that blood banks that focussed on quality improvement systems performed better than others. Considering the deleterious effect of poor quality practices on patient care, it is imperative that specific programmes and strategies to improve quality systems in blood transfusion services are developed and implemented across the state.

6 Reference

- CDSCO. (2015). LIST OF LICENSED BLOOD BANKS IN INDIA * (February, 2015). Retrieved from <http://www.cdsc.nic.in/writereaddata/BLOOD%20BANKS%20INDIAfeb2015.pdf>
- Chandra, T., Rizvi, S. N. F., & Agarwal, D. (2014). Decreasing Prevalence of Transfusion Transmitted Infection in Indian Scenario. *The Scientific World Journal*, 2014, 4. doi:10.1155/2014/173939
- GOI. (2003). *Transfusion Medicine, Technical Manual*. New Delhi: Director General of Health Services, Government of India.
- Gupta, R., Singh, B., Singh, D. K., & Chugh, M. (2011). Prevalence and trends of transfusion transmitted infections in a regional blood transfusion centre. *Asian J Transfus Sci*, 5(2), 177-178. doi:10.4103/0973-6247.83250
- ISO-8402. (1994). *Quality Management and Quality Assurance - Vocabulary*. Retrieved from Geneva, Switzerland.:
- NACO. (2007a). *National Blood Policy (India)*. Retrieved from New Delhi: <http://upsacs.nic.in/bs%20doc/bs%20National%20Blood%20Policy.pdf>
- NACO. (2007b). *Standards For Blood Banks & Blood Transfusion Services*. Retrieved from New Delhi: http://www.iapsmgc.org/userfiles/10_Standards_for_Blood_Banks_and_Blood_Transfusion_Services.pdf
- NACO. (2014). *National AIDS Control Programme Phase-IV (2012-2017) Strategy Document*. Retrieved from New Delhi: <http://www.naco.gov.in/upload/NACP%20-%20IV/NACP-IV%20Strategy%20Document%20.pdf>.
- NACO. (2016). *Annual Report 2015-16*. Retrieved from New Delhi:
- Pal, R., Kar, S., Zaman, F. A., & Pal, S. (2011). The quest for an Indian blood law as of blood transfusion services regulatory framework. *Asian J Transfus Sci*, 5(2), 171-174. doi:10.4103/0973-6247.83246
- Ramani, K. V., Mavalankar, D., & Govil, D. (2007). *Management of Blood Transfusion Services in India: An Illustrative Study of Maharashtra and Gujarat States*. Retrieved from
- Schlickman, J. J. (1998). *ISO 9000 quality management system design: optimal design rules for documentation, implementation, and system effectiveness*: ASQ Quality Press.
- WHO. (1975). *World Health Assembly resolution WHA28.72. Utilization and supply of human blood and blood products*. Retrieved from <http://www.who.int/entity/bloodsafety/en/WHA28.72.pdf>
- WHO. (2008). *Universal Access to Safe Blood Transfusion*. Retrieved from Geneva:
- WHO. (2009). *GDBS Summary Report 2009*. Retrieved from Geneva: http://www.who.int/bloodsafety/global_database/GDBS_Summary_Report_2009.pdf
- WHO. (2011). *Developing a National Blood System*. Retrieved from Geneva: http://www.who.int/entity/bloodsafety/publications/am_developing_a_national_blood_system.pdf?ua=1
- WHO. (2012). More voluntary blood donations essential [Press release]. Retrieved from http://www.who.int/mediacentre/news/releases/2012/blood_donation_20120614/en/
- WHO. (2016a). Quality systems for blood safety. Retrieved from <http://www.who.int/bloodsafety/quality/en/>
- WHO. (2016b). World Blood Donor Day 2016: Blood connects us all. Retrieved from <http://www.who.int/campaigns/world-blood-donor-day/2016/en/>

7 Annexures

7.1 Individual Blood Banks' Summary

District	Name of the Blood Bank	Type	Ownership	Annual Collection	Score (Out of 100)
Almora	Blood Bank District Hospital	Non BCSU	Public	1028	46
	Govind Singh Mehra, Govt Hospital	Non BCSU	Public	301	45
Chamoli	District Hospital, Gopeshwar	Non BCSU	Public	303	44
Dehradun	IMA Blood Bank, Anantapuramu	BCSU	NGO/Trust /Charitable	30119	98
	M/S Himalayan Institute Hospital Trust	BCSU	NGO/Trust /Charitable	11111	82
	M/S Doon Hospital	BCSU	Public	6153	56.5
	Mahant Indiresht Hospital	BCSU	Private	4769	65
	Max Super Speciality Hospital	BCSU	Private	2400	73
	S.P.S Government Hospital, Rishikesh	Non BCSU	Public	-	38
Haridwar	Government Combined Hospital	Non BCSU	Public	6270	76
	District H.M.G Hospital	Non BCSU	Public	5963	71
	Ramakrishna Mission Sevashram	Non BCSU	NGO/Trust /Charitable	467	27
	GM&HMS Bhel Hospital	Non BCSU	Private	200	44
Nainital	Dr. Sushila Tewari Govt Hospital and Medical College	BCSU	Public	11231	64
	Soban Singh Jeena Base Hospital, Haldwani	Non BCSU	Public	6841	72
	B.D.P m Hospital Nainital Blood Bank	Non BCSU	Public	493	55
Pauri Garhwal	Govt Blood Bank	Non BCSU	Public	2318	60
	Blood Bank Government Combined Hospital, Kotdwar	Non BCSU	Public	1016	48
Pithoragarh	B.D. Pandey District Hospital	Non BCSU	Public	2349	59
Udham Singh Nagar	M/S L.D Bhatt Civil Hospital Kashipur	BCSU	Public	6849	63.5
	Jawaharlal Nehru District Hospital	Non BCSU	Public	5787	46
	Shri Krishna Hospital And Blood Bank	Non BCSU	NGO/Trust /Charitable	2778	53
	Jeevan Rekya Hospital	BCSU	Private	1505	51.5
Uttarkashi	Blood Bank District Hospital	Non BCSU	Public	428	60

7.2 NACO/NBTC – Questionnaire for Blood Banks

NACO/NBTC - Questionnaire for Blood Banks						
Data Filled by						
Mobile Phone Number (Person filled the data)						
Section A – GENERAL						
A1	Basic Information					
1	Name of the Blood Bank (as mentioned in the licence)					
2	Address 1 (Institution name)					
3	Address 2 (Door number & Street name – if applicable)					
4	Address 3 (Important land mark - if applicable)					
5	City/Town					
6	District					
7	State					
8	Pin code					
9	Blood Bank Phone number (Land line including area code)					
10	Blood bank Email ID					
11	Do you have internet facility?				Yes	
					No	
12	Name of the Blood Bank In-charge (This should be the name of the current Medical Officer in charge)					
13	Is the name of the Medical officer mentioned in the Licence, the current medical officer?				Yes	
					No	
14	Designation (Please enter designation of the Medical Officer in the blood bank (e.g. Civil surgeon, or academic like Asst. Prof etc.)					
15	Highest Qualification (Tick only one)	MBBS				
		MD				
		MS				
		Diploma				
16	Specify branch/Broad speciality					
17	Email ID: (Official/Personal Email where the medical officer can be directly					

	<i>contacted). This is apart from the blood bank email ID provided above.</i>		
18	Fax number		
19	Telephone number 1 – Medical Officer (Mobile)		
20	Telephone number 2 – Medical Officer (Landline including STD code)		
21	Type of blood bank as per NACO category	Model blood Bank	
		Blood Component Separation Units	
		Major Blood Bank	
		District level blood bank	
		Others	
22	Who is the blood bank owned by?	Public (Central/State/Local government)	
		Public (Other than ministry of health e.g. PSU, Army etc.)	
		NGO/Trust/Charitable – NACO Supported	
		NGO/Trust/Charitable	
		Private - Others	
23	Is the Blood Bank attached to any of the following?	Hospital	
		Lab	
		Stand alone	
24	If attached to Private Hospital, specify level of hospital	Medical College Hospital	
		Tertiary care hospital (other than medical college)	
		Secondary care hospital	
25	If attached to public/govt. hospital, specify the level of the hospital	Sub-District hospital	
		District level hospital	
		Medical College hospital	
		Tertiary care hospital (other than Medical College)	
26	If the blood bank is attached to a hospital, please specify the number of inpatient beds available		
27	Are you permitted to conduct Blood donation camp?	Yes	
		No	
28	How many Blood storage centres are linked to your blood bank?		
29	BB working hours (Specify hours per day)		
A2	License Information		
1.	BB License Number <i>(Enter your license number. This should be exactly as is displayed in your license issued by the Drugs Controller Office and will be used for verification purposes. This is a mandatory field and should be entered regardless of the status of license - under-renewal etc. (You will have to submit a self-attested photocopy of the currently displayed</i>		

	license along with this form.)		
2	Status of Current License	Valid	
		Under renewal	
3	Date of issue of current licence DD/MM/YYYY		
4	Last Inspection by licensing authority	< 1 year	
		1-2 years	
		2-3 years	
		3-4 years	
		>4 years	
A3	Basic Statistics (Date of reporting from Jan-2015- Dec-2015)		
1	Number of voluntary donations		
2	Number of replacement donations		
3	Number of autologous deposits		
4	Total Annual collection for reporting period (Jan - Dec 2015) Total Annual collections (sum of A3.1+A3.2+A3.3)		
5. Transfusion Transmissible Infections - Annual statistics		Number tested	Number positive
	HIV (Anti-HIV I & II)		
	HCV (Anti-HCV)		
	HBV (HBs Ag)		
	Syphilis (RPR/TPHA/ELISA)		
	Positive for Malaria (Any method)		
A4.	Reporting Summary		
1	Are you in compliance with NBTC guidelines?	Yes	
		No	
2	Are you recovering processing charges for blood/components within NBTC/SBTC norms?	Yes	
		No	
3	Are you displaying stock position in the blood bank premises?	Yes	
		No	
4	Are you submitting statistics to the State Drugs controller?	Regular	
		Occasional	
		No	
5	Are you reporting in SIMS (strategic Information Management System- NACO)?	Regular	
		Occasional	
		No	
6	If yes to Q5, please provide your SIMS ID		
7	If you are not reporting to SIMS, would you be willing to report in the future?	Yes	
		No	

8	Are you reporting in the E-blood banking?	Regular	
		Occasional	
		No	
9	If Regular/ Occasional to 8, specify (<i>more than one can be selected</i>)	State	
		National (NHP)	
		Other(Specify	
10	Please provide E Blood banking user ID (<i>State</i>)		
11	Please provide E Blood banking user ID (<i>National</i>)		
12	If not part of e-blood banking, would you be willing to participate in future?	Yes	
		No	

SECTION B			
B1 Blood Donor(Reporting from Jan 2015- Dec 2015)			
Definition of VBD = Close relatives should NOT be counted as VBD			
1	Are you recruiting voluntary blood donors?	Yes	
		No	
2	Is donor selection performed as per regulatory norms?	Yes	
		No	
3	Do you maintain records of donor deferral?	Yes	
		No	
4	Is pre-donation counselling being performed for blood donors?	Regular	
		Occasional	
		No	
5	Is post donation counselling being performed for blood donors?	Regular	
		Occasional	
		No	
6	Are you conducting Blood donor drives/Blood collection camps?	Regular	
		Occasional	
		No	
7	If you conduct camps, how many have been conducted in the reporting period? (<i>Provide numbers of VBD camps conducted during the period January - December 2015.</i>)		
8	Does the blood bank have dedicated staff for the promotion of Voluntary blood donors? (<i>If your blood bank has dedicated staff for camps, answer yes.</i>)	Yes	
		No	
8 a.	if Yes to 8, select as applicable (<i>More than one may be selected</i>)	Donor Motivator	
		Public relations officer (PRO)	
		Social Worker	
9	Is there a specific budget for donor program?	Yes	
		No	
10	If Yes, Specify budget source	Central	
		State	
		Others (Specify)	
11	Is there a donor database in the blood bank (<i>Donor database is</i>	Yes	

	essential to contact donors to remind them or to call during an emergency?)		No	
12	If yes to Q 11, is it in electronic format or paper based?	Electronic		
		Paper		
		Both		
13	What percentage of the voluntary blood donors are repeat blood donors? (%)			
14	Does your blood bank have a mobile blood collection facility? (Answer yes if your Blood bank has a mobile facility (bus or van with donor couches))		Yes	
			No	
15	Source of funds for the mobile blood collection (Indicate the source of funding for the purchase of the mobile blood donor van.)		State	
			Central	
			Donor	
			Others	
16	Specify, other source of funds			
17	Is there a record for donor adverse reactions?		Yes	
			No	
18	Is there a referral system for HIV sero-reactive blood donors?		Yes	
			No	
19	If yes to Q 18, please specify what is the process adopted.			
Section C				
Technical – Immunohematology				
C1.	Which of the following tests are performed for determination of ABO and Rh (D) groups and what techniques are followed?	Blood Group (Tick as applicable)		Rh Type (Tick as applicable)
		Forward	Reverse	
C1.1.	Slide			
C1.2	Tube			
C1.3	Micro plate			
C1.4	Column agglutination Gel/Microparticle)			
C1.5	Solid phase			
C1.6	Other Specify			
1	How do you perform RhD typing?	Monoclonal reagent		
		Polyclonal reagent		
		Both		
2	Do you perform irregular antibodies screening on blood donations and patient sample?	Yes		
		No		
3	Do you perform direct antiglobulin test (DAT/DCT)? (If you are performing Direct Antiglobulin test (DAT) - earlier called	Yes		
		No		

	as Direct Coombs Test (DCT), answer yes.)			
4	If yes to previous question, please specify method	Tube		
		Column agglutination		
		Solid phase		
5	Do you perform indirect antiglobulin test (IAT/ICT)?	Yes		
		No		
6	If yes, to previous question please specify method	Tube		
		Column agglutination		
		Solid phase		
7	Number of group and type tests performed in reporting period (Jan - Dec 2015) <i>(Specify the number of group and type tests performed - Total of all patient and donor tests in the reporting period - January to December 2015.)</i>			
8	Number of compatibility testing performed in reporting period. <i>(Specify number of compatibility tests performed in the reporting period January to December 2015)</i>			
9	Total Number of DAT/DCT tests performed in the reporting period <i>(Specify number of DAT/DCT tests performed in the reporting period (January to December 2015))</i>			
10	Total Number of IAT/ICT tests performed in the reporting period <i>(Specify number of DAT/DCT tests performed in the reporting period (January to December 2015))</i>			
11	Total Number of antibody screening performed in reporting period <i>(If you answered YES to Q2, Specify number of antibody screening tests performed in the reporting period (January to December 2015).)</i>			
12	Do you have automation for Immunohematology testing? <i>(If you have implemented any kind of automation, please indicate so.)</i>	Yes		
		No		
13	Do you perform Internal QC for all immunohematology tests (blood group/DAT/IAT etc.)? <i>(Please answer yes if you are performing internal quality control (IQC) for the immunohematology tests listed above. They include daily QC on reagents and cells.)</i>	Yes		
		No		
14	Do you participate in an external quality assessment program or scheme (EQAS) for Immunohematology tests usually performed in your laboratory?	Yes		
		No		
15	If yes to 14, Specify name of program/provider			
16	If yes to 14, EQAS Membership ID number/ PIN#.			
17	If yes 14, specify Highest level of EQAS program participant in	Inter-lab		
		National		
		International		
18	If you are not participating in EQAS for immunohematology, will you be willing to do so in the future?	Yes		
		No		
19	If Yes to above question, will your blood bank be able to allocate financial resources (about Rs.2500 per year)?	Yes		
		No		
20	If your answer to Q 19 is NO, when do you think you will be	Next 6 months		

	ready for EQAS participation? (immunohematology)		
		Later than 6 month	
21	Are you a member of National Haemovigilance Program of India (HVPI)?	Yes	
		No	
22	If yes, provide HVPI ID Number		
23	If not, would you be willing to participate in HVPI in the near future?	Yes	
		No	
24	Are you reporting all adverse events to the National Haemovigilance Program of India?	Yes	
		No	
25	Number of adverse reactions recorded in the reporting period		
26	Does your hospital have regular transfusion committee meetings?	Yes	
		No	
27	What is the frequency of Transfusion committee meetings?	Annual	
		Half-yearly	
		Quarterly	
		Occasional	

Section D					
Technical - Screening For Transfusion Transmissible Infections (TTI)					
Does the blood bank screen the following TTIs?					
Type of Test		Platform (please tick appropriate)		Method (please tick appropriate)	
1	HIV I & II	Rapid			
		ELISA		Manual	<input type="text"/>
				Automated	<input type="text"/>
		CHEMI		Manual	<input type="text"/>
				Automated	<input type="text"/>
		NAT		Manual	<input type="text"/>
				Automated	<input type="text"/>
1.1	Specify % of donors tested by Rapid Test?				
2	Hepatitis B	Rapid			
		ELISA		Manual	<input type="text"/>
				Automated	<input type="text"/>
		EM		Manual	<input type="text"/>
				Automated	<input type="text"/>
		NAT		Manual	<input type="text"/>
				Automated	<input type="text"/>
2.1	Specify % of donors tested by Rapid Test?				
3	Hepatitis C	Rapid			
		ELISA		Manual	<input type="text"/>
				Automated	<input type="text"/>
		CHEM		Manual	<input type="text"/>
				Automated	<input type="text"/>
		NAT		Manual	<input type="text"/>
				Automated	<input type="text"/>

3.1	Specify % of donors tested by Rapid Test?				
4	Syphilis	RPR		Manual <input type="text"/> Automated <input type="text"/>	
		TPHA		Manual <input type="text"/> Automated <input type="text"/>	
		ELISA		Manual <input type="text"/> Automated <input type="text"/>	
5	Malaria	Rapid			
		Fluorescent		Manual <input type="text"/> Automated <input type="text"/>	
		Slide microscopy			
		ELISA		Manual <input type="text"/> Automated <input type="text"/>	
6	Does the blood bank have an algorithm for units that test POSITIVE in initial screening? <i>(If you have a method of verifying a sample that has tested positive on the screening test please answer yes.)</i>			Yes	
				No	
7	If yes to Q6 , Repeat testing with same test/ technique			Yes	
				No	
8	If Yes to Q6, Repeat testing with different test/technique			Yes	
				No	
9	If yes to Q6, Recalling donor for repeat sample			Yes	
				No	
10	Do you perform independent internal QC (Third party controls) with TTI testing?			Yes	
				No	
11	Do you participate in an external quality assessment program or scheme (EQAS) for TTI <i>(Viral Markers, Malaria, and Syphilis)</i> testing?			Yes	
				No	
12	If yes, Specify program/provider				
13	Membership ID number (PIN)				
14	Level of EQAS		Inter-lab		
			National		
			International		
15	If you are not participating in EQAS for TTI screening, will you be willing to participate in future?			Yes	
				No	
16	If Yes to Q15, will your blood bank be able to provide financial support (about Rs. 2500 per year)			Yes	
				No	
17	If your answer to Q 15 is NO, when do you think you will be ready for EQAS (TTI screening) participation?		Next 6 months		
			Later than 6 months		

Section E			
Technical - Component Preparation (Applicable only to BCSU)			
1	Does your blood bank prepare components?	Yes	
		No	
If your answer to Q1 is NO, SKIP TO SECTION F			
If Yes, List the components and number prepared and issued in the period Jan to December 2015			
2	Number of donated blood that was used for component preparation during the period Jan- December 2015.		
		Number prepared	No. issued (utilized)
3	Packed red cells IP (With or without Additive)		
4	Platelet concentrate IP		
5	Fresh frozen plasma (FFP)		
6	Cryoprecipitated antihemophilic factor IP		
7	Human plasma IP		
8	Other (specify)		
9	Do you perform apheresis for components?	Yes	
		No	
	If yes to above question, Specify the following details		
		Number prepared	No. issued (utilized)
10	Platelet concentrate IP		
11	Fresh frozen plasma (FFP)		
12	Granulocytes concentrates		
13	Other (specify)		
14	Do you perform QC for the components prepared? (If you perform quality control for all components, answer yes.)	Yes	
		No	
15	If yes to above, Are the Factor assays on Fresh Frozen plasma/Cryoprecipitate performed at your Blood Bank?	Yes	
		No	
16	If yes for above question, do you participate in external quality assessment scheme (EQAS)?	Yes	
		No	
17	If yes, to above question, Specify agency		
SECTION F			
Quality Management Systems			
F 1	Are you aware of quality management systems for Blood bank	Yes	
		No	
1	Is the blood bank accredited?	Yes	
		No	
2	If yes, provide Name of Accrediting Body		
3	Do you have a document control system - other than mandatory registers as D&C act?	Yes	
		No	
4	Do you have Standard Operating Procedures (SOPs) for all technical processes?	Yes	
		No	
5	Do you have written responsibilities for all levels of staff?	Yes	
		No	
How many staff are currently employed in each of the following categories and how many of them have been trained during the reporting period Jan 2015 - Dec 2015? (Questions 6 - 15)			

Staff Details		Total number of staff	Number on contract	NACO/NBTC Supported in-service training	Other National Training
6	Professor				
7	Associate Professor				
8	Assistant Professor				
9	Senior Resident/Tutor				
10	Medical Officer (<i>include senior/Junior</i>)				
11	Technical Staff				
12	Nursing staff				
13	Counsellor				
14	PRO/Donor motivator				
15	Administrative staff				
16	Support staff				
If other staff, please specify					
Total number of staff					
17	In your opinion, does the BB have adequate staff to function optimally (24x7)? This may be decided based on the volume and duration of work hours.			Yes	
				No	
18	Do you monitor Quality indicators or Key Performance indicators?			Yes	
				No	
19	If yes to above question, please specify names of indicators				
20	Do you have a designated and trained Quality manager?			Yes	
				No	
21	Do you have a designated and trained Technical Manager?			Yes	
				No	
22	If you do not have either a trained Quality manager or Technical Manager please state reasons?				
23	Please specify if you have a plan for recruitment in the future?				

F2. EQUIPMENT AND SUPPLIES				
1	Does the blood bank have adequate equipment to meet regulatory requirements? (<i>If your blood bank has adequate equipment in working condition to meet expected workload, please answer yes.</i>)		Yes	
			No	
2	How is equipment purchase funded?	Local bodies		
		Central or upper (state) level agencies		
		Donors		
		Others (specify)		

3	Does the blood bank have a program for regular equipment maintenance?		Yes	
			No	
4	Are all the equipment calibrated regularly as per regulatory requirement?		Yes	
			No	
5	How are consumables purchased?	Local bodies		
		Central or state level agencies		
		Donors		
		Others (specify)		
6	Do you evaluate kits at your facility prior to procurement? <i>(Are kits evaluated locally (at your blood bank) prior to purchase (e.g. Titre and avidity for blood group Anti Sera?))</i>		Yes	
			No	
7	Is quality control for kits, reagents and blood bags carried out at your blood bank? <i>(Is quality control for kits performed locally (at your blood bank) Prior to use (e.g. Titre and avidity for blood group Anti Sera?))</i>		Yes	
			No	
8	Did you have a regular supply of the following items? (Jan to Dec 2015)			
8.1	Blood Bags	Yes		
		No		
8.2	TTI Screening Kits	Yes		
		No		
8.3	Blood grouping / IH reagents	Yes		
		No		
9	Number of staff vaccinated for Hepatitis B?			
EQUIPMENT LIST (Below is a summary equipment list (a subset of D&C list). Please specify the number in inventory and number in working condition? If you are using shared resources of hospital, you can mention that as well				
		Number in inventory	Number in working condition	
10	Donor beds/couches			
11	Any instrument for Hb Estimation <i>(other than CuSO4 method)</i>			
12	Blood collection monitor (Blood agitator)			
13	Quarantine Blood bank refrigerator to store untested units with temperature recorder			
14	Container for safe disposal of sharps			
15	Oxygen supply equipment			
16	Computer with accessories and software			
17	General lab centrifuge for samples			
18	Bench top centrifuge for serological testing			
19	Blood transportation box			

20	Emergency drugs box/Crash card		
21	Autoclave machine (shared resource should be specified)		
22	Water bath		
23	Blood bank refrigerator (storage of tested blood) with temperature recorder		
24	Automated pipettes		
25	Refrigerated centrifuge (BCSU)		
26	Blood container weighting device		
27	Serology rotator		

7.3 Scoring sheet

Individual Scoring Sheet - Blood Component Separation Units			
GENERAL	GENERAL SUMMARY	WEIGHTAGE	TOTAL
Licence	Under renewal	1	
	Valid	3	
Subtotal			3
Annual collection	Below 1000	0	
	1000 to 2000	0.5	
	2000 to 5000	1	
	5000 to 10000	1.5	
	Above 10,000	2	
Subtotal			2
VNRBD	BB by VNRBD (%)	0	
	<25%	0	
	25-49%	1	
	50 - 74%	3	
	75-90%	4	
	Above 90	5	
Repeat DON	Repeat donation >25%	2	
Counselling	Pre and post donation counselling - Regular	2	
Subtotal			9
TECH-IH	BB performing only slide grouping (forward typing)	0	
	BB using tube method for forward typing	2	
	BB performing reverse grouping (Serum group)	2	
	BB performing tube method for compatibility testing	3	
	BB performing IQC for IH	3	
	BB Participating in EQAS for IH	3	
	Direct antiglobulin test (DAT/DCT)- Direct Coombs Test (DCT)	2	
	Indirect antiglobulin test (IAT/ICT)	2	
	Automation for Immunohematology testing	1	
Subtotal			18
TECH - TTI	BB performing IQC for TTI	3	
	BB Participating in EQAS for TTI	3	
	BB with follow up program for HIV Sero-positive donors	3	
HIV Testing	Rapid	1	
	Elisa	2	
	Advanced	3	
Hep B	Rapid	1	
	Elisa	2	
	Advanced	3	
Hep C	Rapid	1	

	Elisa	2	
	Advanced	3	
Syphilis	RPR	1	
Malaria	Slide/Rapid	1	
Subtotal			20
COMP			
	Component separation < 25	0	
	Component separation < 25-50%	1	
	Component separation 51 to 80%	2	
	Component separation > 80%	3	
	BB that performs component QC	2	
Subtotal			5
QMS	BB MO with relevant PG Qualification	3	
	Staff Nurse with NACO/NBTC Training	3	
	Technician with NACO/NBTC training	3	
	BB with designated and trained QM	2	
	BB with designated and trained TM	2	
	BB with Document control system	4	
	BB with calibration of equipment	4	
	BB with AMC for equipment	4	
	Quality control for kits, reagents and blood bags carried out at blood bank with regular bags supply	2	
	Quarantine Blood bank refrigerator to store untested units with temperature recorder	3	
	Blood bank accredited	5	
Subtotal			35
GEN	BB reporting regularly on SIMS under National AIDS Control Programme	3	
	BB Participating in Haemovigilance Program of India	1	
	E blood banking participation NBTC/NHP	1	
	E blood banking participation – State level	1	
	More than 50% of the staff are vaccinated for Hep B	1	
	Compliance with NBTC norms	1	
Subtotal			8
SCORES	TOTAL		100

Individual Scoring Sheet - Without Blood Component Separation Units			
GENERAL	GENERAL SUMMARY	WEIGHTAGE	TOTAL
Licence	Under renewal	2	
	Valid	3	
Subtotal			3
Annual collection			
	500 - 1000	1	
	1001 to 2000	2	
	2001 to 3000	3	
	3001 - 5000	4	
	>5000	5	
Subtotal			5
VNRBD	BB by VNRBD (%)		
	25-49%	1	
	50 - 74%	3	
	75-90%	4	
	Above 90	5	
Repeat DON	Repeat donation >25%	2	
	pre donation counselling - regular	2	
Counselling	post donation counselling - regular	2	
Subtotal			11
TECH-IH	BB performing slide ONLY for forward grouping	1	
	BB performing TUBE for forward grouping	2	
	BB performing reverse grouping (Serum group)	2	
	Compatibility testing with tube	3	
	BB performing IQC for IH	3	
	BB Participating in EQAS for IH	3	
	Direct antiglobulin test (DAT/DCT)- Direct Coombs Test (DCT)	2	
	Indirect antiglobulin test (IAT/ICT)	2	
	Automation for Immunohematology testing	1	
Subtotal			18
TECH - TTI	BB performing IQC for TTI	3	
	BB Participating in EQAS for TTI	3	
	BB with follow up program for HIV Sero-positive donors	3	
HIV Testing	Rapid	1	
	ELISA	3	
Hep B	Rapid	1	
	ELISA	3	

Hep C	Rapid	1	
	ELISA	3	
Syphilis	RPR	1	
Malaria	Slide/Rapid	1	
Subtotal			20
COMP	<i>Not applicable</i>		
QMS	BB MO with relevant PG Qualification	3	
	Staff Nurse with NACO/NBTC Training	3	
	Lab technician with NACO/NBTC training	3	
	BB with designated TM/QM	2	
	BB with SOPs	2	
	BB with Document control system	2	
	BB with more than 75% equipment functional	2	
	BB with calibration of equipment	4	
	BB with AMC for equipment	4	
	Quality control for kits, reagents and blood bags carried out at blood bank with regular supply	2	
	Quarantine Blood bank refrigerator to store untested units with temperature recorder	3	
	Blood bank accredited by NABH	5	
Subtotal			35
GEN	BB reporting regularly on SIMS under National AIDS Control Programme	3	
	BB Participating in Haemovigilance Program of India	1	
	E blood banking participation NBTC/NHP	1	
	E blood banking participation – State level	1	
	Compliance with NBTC norms	1	
	More than 50% of the staff are vaccinated for Hep B	1	
Subtotal			8
SCORES	TOTAL		100